

# Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 20.12.2021 (GB) Version 1.4

WEISSES FETT MIT PTFE

001085



## ! SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Name of product

WEISSES FETT MIT PTFE  
Art-Nr 001085  
UFI: F503-A0NS-A00F-J9DD

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Product categories [PC]

PCO - Other

### 1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor

EUROLUB GmbH  
Freisingerstraße 25-27, D-85386 Eching b. München  
Phone +49 8165 9591-0, Fax +49 8165 9591-210  
E-Mail info@eurolub.com  
Internet www.eurolub.com

### 1.4. Emergency telephone number

Emergency advice

Phone +49 8165 9591-0  
This number is only available at office times.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard categories	Hazard Statements	Classification procedure
--------------------------------------	-------------------	--------------------------

Aerosol 1	H222, H229	
Skin Irrit. 2	H315	
STOT SE 3	H336	
Aquatic Chronic 2	H411	

#### Hazard statements for physical hazards

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.

#### Hazard statements for health hazards

H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.

#### Hazard statements for environmental hazards

H411	Toxic to aquatic life with long lasting effects.
------	--

### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS02



GHS07



GHS09

# Safety Data Sheet according to Regulation (EC)

## No. 1907/2006 (REACH)

Revision 20.12.2021 (GB) Version 1.4

### WEISSES FETT MIT PTFE

001085



#### Signal word

Danger

#### Hazard statements for physical hazards

H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.

#### Hazard statements for health hazards

H315 Causes skin irritation.  
H336 May cause drowsiness or dizziness.

#### Hazard statements for environmental hazards

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary Statements

##### General

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.

##### Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P251 Do not pierce or burn, even after use.

##### Response

P321 Besondere Behandlung (siehe . auf diesem Kennzeichnungsetikett).

##### Storage

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

##### Disposal

P501 Dispose of contents / container in accordance with local regulations.

#### Hazardous ingredients for labelling

Kohlenwasserstoffe, C6-C7, n-Alkane, Isoalkane, Cycloalkane, <5% n-Hexan

#### 2.3. Other hazards

##### Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

## SECTION 3: Composition/ information on ingredients

### 3.1. Substances

not applicable

### 3.2. Mixtures

#### Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
74-98-6	200-827-9	propane	10 - 25	Flam. Gas 1, H220 / Press. Gas
75-28-5	200-857-2	isobutane	1 - 2,5	Flam. Gas 1, H220 / Press. Gas
106-97-8	203-448-7	butane	25 - 50	Flam. Gas 1, H220 / Press. Gas
64742-49-0	64742-49-	Mixture of n-, i- and cyclo aliphatics, C6-C7	25 - 50	Flam. Liq. 2, H225 / Asp. Tox. 1, H304 / Aquatic Chronic 2, H411 / Skin Irrit. 2, H315 / STOT SE 3, H336

## Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 20.12.2021 (GB) Version 1.4

WEISSES FETT MIT PTFE

001085



---

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

Remove contaminated soaked clothing immediately and dispose it safely.

In the event of persistent symptoms receive medical treatment.

Take affected person into fresh air.

In case of stronger and long effects, specially on skin and respiratory tract, medical treatment is necessary.

##### In case of inhalation

Ensure of fresh air.

If intensive inhalation of fumes seek medical treatment immediately.

##### In case of skin contact

In case of contact with skin wash off with water.

Consult a doctor if skin irritation persists.

##### In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

##### In case of ingestion

Do not induce vomiting.

Rinse out mouth thoroughly with water.

#### 4.2. Most important symptoms and effects, both acute and delayed

##### Physician's information / possible symptoms

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

##### Treatment (Advice to doctor)

Treat symptoms.

---

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Foam

Dry powder

Carbon dioxide

##### Unsuitable extinguishing media

water

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

#### 5.3. Advice for firefighters

##### Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Wear full protective clothing.

##### Additional information

Collect contaminated firefighting water separately, must not be discharged into the drains.

## Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 20.12.2021 (GB) Version 1.4

WEISSES FETT MIT PTFE

001085



---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing.

##### For emergency responders

Remove persons to safety.

Use personal protective clothing.

#### 6.2. Environmental precautions

Collect contaminated water / firefighting water separately.

Do not discharge into the drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).

#### Additional Information

Informations for personal protective equipment see chapter 8.

#### 6.4. Reference to other sections

No information available.

---

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

##### General protective measures

Do not inhale gases/vapours/aerosols.

Avoid contact with the eyes.

##### Hygiene measures

Clean skin thoroughly after working.

At work do not eat, drink and smoke.

Remove soaked clothing immediately.

##### Advice on protection against fire and explosion

The product is combustible.

Vapours can form an explosive mixture with air.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep only in original container.

##### Advice on storage compatibility

Store at cool and aired place and at distance to acids, alkalis and combustible materials.

##### Further information on storage conditions

Keep container tightly closed and store at cool and aired place.

Storage group 2B

#### 7.3. Specific end use(s)

No information available.

## Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 20.12.2021 (GB) Version 1.4

WEISSES FETT MIT PTFE

001085



### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls

##### Respiratory protection

In case of insufficient ventilation or long-term effect use breathing apparatus.

##### Hand protection

Gloves (solvent-resistant)

##### Eye protection

safety goggles with side protection

##### Other protection measures

Solvent-resistant protective clothing

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

##### Appearance

aerosol

##### Colour

colourless

##### Odour

solvent-like

##### Odour threshold

not determined

#### Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
<b>pH value</b>	not determined				
<b>Boiling temperature / boiling range</b>	not determined				
<b>Melting point / Freezing point</b>	not determined				
<b>Flash point</b>	not determined				
<b>Vapourisation rate</b>	not determined				
<b>Flammable (solid)</b>	not determined				
<b>Flammability (gas)</b>	not determined				
<b>Ignition temperature</b>	> 250 °C				
<b>Self ignition temperature</b>	not determined				
<b>Lower explosion limit</b>	1 Vol-%				
<b>Upper explosion limit</b>	10,9 Vol-%				
<b>Vapour pressure</b>	not determined				
<b>Relative density</b>	0,664 g/cm <sup>3</sup>	20 °C			
<b>Vapour density</b>	not determined				

## Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 20.12.2021 (GB) Version 1.4

WEISSES FETT MIT PTFE

001085



	Value	Temperature	at	Method	Remark
<b>Solubility in water</b>	not determined				
<b>Solubility/other</b>	not determined				
<b>Partition coefficient n-octanol/water (log P O/W)</b>	not determined				
<b>Decomposition temperature</b>	not determined				
<b>Viscosity</b>	not determined				
<b>Oxidising properties</b>	No information available.				
<b>Explosive properties</b>	No information available.				
<b>9.2. Other information</b>	No information available.				

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Ignition hazard

#### 10.2. Chemical stability

No information available.

#### 10.3. Possibility of hazardous reactions

Ignition hazard

#### 10.4. Conditions to avoid

Because of the high vapour pressure, containers are liable to burst if temperature rises.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
<b>LD50 acute oral</b>	> 5000 mg/kg	rat		
<b>LD50 acute dermal</b>	> 2000 mg/kg	rabbit		
<b>LC50 acute inhalation</b>	> 23,3 mg/l ()	rat		
<b>Skin irritation</b>	Causes skin irritation.			

## Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 20.12.2021 (GB) Version 1.4

WEISSES FETT MIT PTFE

001085



	Value/Validation	Species	Method	Remark
<b>Eye irritation</b>	irritant - risk of strong eye injuries			
<b>Skin sensitization</b>	No information available.			

### Subacute Toxicity - Carcinogenicity

	Value	Species	Method	Validation
<b>Subacute Toxicity</b>				No information available.
<b>Subchronic Toxicity</b>				No information available.
<b>Chronic Toxicity</b>				No information available.
<b>Mutagenicity</b>				No information available.
<b>Reproduction-Toxicity</b>				No information available.
<b>Carcinogenicity</b>				No information available.
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways.			

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Ecotoxicological effects

	Value	Species	Method	Validation
<b>Fish</b>	LC50 1 - 10 mg/l			
<b>Daphnia</b>	EC50 1 - 10 mg/l			
<b>Algae</b>	EC50 10 - 100 mg/l			

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

The product has not been tested. Because of the product's consistency and low solubility in water bioavailability is not likely.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

### 12.6. Other adverse effects

#### General regulation

Product is not allowed to be discharged into the ground water or aquatic environment.

## Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 20.12.2021 (GB) Version 1.4

WEISSES FETT MIT PTFE

001085



### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Waste code No.**

15 01 04

16 05 04\*

**Name of waste**

metallic packaging

gases in pressure containers (including halons) containing hazardous substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

#### Recommendations for the product

Remove in accordance with local official regulations.

### SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	1950	1950	1950
14.2. UN proper shipping name	AEROSOLS	AEROSOLS	Aerosols, flammable
14.3. Transport hazard class(es)	2.1	2.1	2.1
14.4. Packing group	-	-	-
14.5. Environmental hazards	Yes	Yes	Yes

#### 14.6. Special precautions for user

No information available.

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

#### Land and inland navigation transport ADR/RID

Hazard label(s) 2.1

Tunnel restriction code D

Classification code 5F

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### VOC standard

VOC content =80 %

VOC value =580 g/L

##### National regulations

##### Restriction of occupation

Observe employment restrictions for young people.

Water hazard class 1 self-classification

##### Technical instruction air

Class III Anteil 2,5 - 5 %

Decree for case of interference/ remarks Accident decree, addendum II: not named.



## Safety Data Sheet according to Regulation (EC)

### No. 1907/2006 (REACH)

Revision 20.12.2021 (GB) Version 1.4

### WEISSES FETT MIT PTFE

001085



---

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

---

#### SECTION 16: Other information

##### Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

##### Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 1.3

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.