

## EUROLUB MEHRBEREICHSHYDRAULIKÖL 10W-30

<b>Description/Applications:</b>	<p>It is a high-quality hydraulic oil with excellent viscosity-temperature behaviour for use in high pressure hydraulic systems operating in areas with changing temperatures. High quality base oils ensure excellent aging resistance and corrosion protection effect in combination with oxidation and corrosion inhibitors.</p> <p>EP additives minimize wear.</p> <p>HVLP is neutral with respect to seals and hoses.</p>
----------------------------------	--

<b>Can be used with:</b>	<p>DIN 51 524 / Teil 3 HVLP ISO-VG 32 - 68</p>
--------------------------	--

<b>Delivery:</b>	<table> <tr> <td>Art.-Nr. 320020</td> <td>20 Liter</td> <td>canister</td> </tr> <tr> <td>Art.-Nr. 320060</td> <td>60 Liter</td> <td>hobbock</td> </tr> <tr> <td>Art.-Nr. 320208</td> <td>208 Liter</td> <td>drum</td> </tr> <tr> <td>Art.-Nr. 320100</td> <td>Container</td> <td>IBC 1.000L</td> </tr> </table>	Art.-Nr. 320020	20 Liter	canister	Art.-Nr. 320060	60 Liter	hobbock	Art.-Nr. 320208	208 Liter	drum	Art.-Nr. 320100	Container	IBC 1.000L
Art.-Nr. 320020	20 Liter	canister											
Art.-Nr. 320060	60 Liter	hobbock											
Art.-Nr. 320208	208 Liter	drum											
Art.-Nr. 320100	Container	IBC 1.000L											

<b>Technical Data:</b>			
<b>Data</b>	<b>Unit</b>	<b>Method</b>	<b>EUROLUB MEHRBEREICHSHYDRAULIKÖL 10W-30</b>
Density at 15°C	kg/L	D 4052	0,874
Viscosity at 40°C	cSt	D 445	45,9
Viscosity at 100°C	cSt	D 445	8,12
Viscosityindex (VI)		D 2270	151
Flash point (COC)	°C	D 92	228
Pourpoint	°C	D 6892	-39

The data provided are subject to change. Operating rules of the manufacturer. Characteristics are typical of current production data are subject to change. This should describe the products and should not therefore intended to assure certain properties. Obligation can not be derived.

EUROLUB GmbH Freisinger Strasse 25-27 85386 Eching bei München Tel. +49 8165 9591 - 0, Fax +49 81659591 - 20 <a href="http://www.eurolub.com">www.eurolub.com</a> , <a href="mailto:info@eurolub.com">info@eurolub.com</a>	Druckdatum: 24.08.2020, erstellt am 29.11.2018
	Reference: SwioHV, 01.02.2018
	Name: 320xxx_TDS_EN
	Seite 1 von 1