

EUROLUB 2 TZ SCOOTER

Description:	<p>2 TZ SCOOTER is a semi-synthetic "low-smoke" two-stroke engine oil.</p> <p>2 TZ SCOOTER is self-mixing and can be used for mixing ratios up to 1:50.</p> <p>2 TZ SCOOTER is a two-stroke engine oil which fulfills the highest specifications of the Asian and European markets.</p>
---------------------	---

Can be used with:	<p>ISO-L-EGB Jaso FB API TC</p>
--------------------------	---

Delivery:	<table> <tr> <td>Art.-Nr. 341001</td> <td>12 x1 Liter</td> <td>plastic bottle</td> </tr> <tr> <td>Art.-Nr. 341020</td> <td>20 Liter</td> <td>plastic canister</td> </tr> <tr> <td>Art.-Nr. 341060</td> <td>60 Liter</td> <td>hobbock</td> </tr> <tr> <td>Art.-Nr. 341208</td> <td>208 Liter</td> <td>drum</td> </tr> </table>	Art.-Nr. 341001	12 x1 Liter	plastic bottle	Art.-Nr. 341020	20 Liter	plastic canister	Art.-Nr. 341060	60 Liter	hobbock	Art.-Nr. 341208	208 Liter	drum
Art.-Nr. 341001	12 x1 Liter	plastic bottle											
Art.-Nr. 341020	20 Liter	plastic canister											
Art.-Nr. 341060	60 Liter	hobbock											
Art.-Nr. 341208	208 Liter	drum											

Technical Data:

Data:	Unit:	Method:	EUROLUB 2TZ SCOOTER
Density at 15°C	kg/l	D 4052	0,872
Viscosity at 40°C	cSt.	D 445	64,6
Viscosity at 100°C	cSt.	D 445	9,5
Flash point COC	°C	D 92	116
Pourpoint	°C	D 6892	-24

The data provided are subject to change. Operating rules of the manufacturer. Characteristics are typical of current production data are subject to change. This should describe the products and should not therefore intended to assure certain properties. Obligation can not be derived.

EUROLUB GmbH Freisinger Strasse 25-27 85386 Eching / Germany Tel. +49 8165 9591 - 0, Fax +49 8165 9591 - 20 www.eurolub.com , info@eurolub.com	print: 24.08.2020, made 26.11.2018
	Referenz: STA1302, 02.08.2018
	Name: 341xxx_TDS_EN
	Seite 1 von 1