

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 02.09.2021 (GB) Version 1.1

GEAR FLUIDE V-FE

379xxx



! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product GEAR FLUIDE V-FE
Art-Nr 379xxx

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Product categories [PC]

PC24 - Lubricants, greases, release products

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor EUROLUB GmbH
Freisingerstraße 25-27, D-85386 Eching b. München
Phone +49 8165 9591-0, Fax +49 8165 9591-210
E-Mail info@eurolub.com
Internet www.eurolub.com

1.4. Emergency telephone number

Emergency advice
Phone +49 8165 9591-0
This number is only available at office times.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard categories	Hazard Statements	Classification procedure
--------------------------------------	-------------------	--------------------------

Aquatic Chronic 3	H412	
-------------------	------	--

Hazard statements for environmental hazards

H412	Harmful to aquatic life with long lasting effects.
------	--

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard statements for environmental hazards

H412	Harmful to aquatic life with long lasting effects.
------	--

Precautionary Statements

General

P103	Read carefully and follow all instructions.
------	---

Prevention

P273	Avoid release to the environment.
------	-----------------------------------

Disposal

P501	Dispose of contents / container in accordance with local regulations.
------	---

Special rules for supplemental label elements for certain mixtures

Enthält 4,4'-Thiodiethylenhydrogen-2-octadecenylsuccinat . Kann allergische Reaktionen hervorrufen.

2.3. Other hazards

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 02.09.2021 (GB) Version 1.1

GEAR FLUIDE V-FE

379xxx



Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
72623-87-1	276-738-4	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	60 - 100	Carc. 1B, H350
125643-61-0	406-040-9	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	1 - 2,5	Aquatic Chronic 4, H413
36878-20-3	253-249-4	bis(nonylphenyl)amine	1 - 2	Aquatic Chronic 4, H413
93882-40-7	299-434-3	4,4'-Thiodiethylenhydrogen-2-octadecenylsuccinat	< 0,2	Eye Irrit. 2, H319 / Skin Sens. 1, H317 / Aquatic Chronic 2, H411
	424-820-7	Reaktionsprodukt aus Alkylthioalkohol und substituierter Phosphorverbindung	< 0,5	Acute Tox. 4, H312 / Skin Corr. 1B, H314 / Aquatic Acute 1, H400 / Aquatic Chronic 1, H410

REACH

CAS No	Name	REACH registration number
36878-20-3	bis(nonylphenyl)amine	01-2119488911-28
	Reaktionsprodukt aus Alkylthioalkohol und substituierter Phosphorverbindung	01-0000017126-75

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the event of persistent symptoms receive medical treatment.

In case of inhalation

In case of inhalation remove the casualty into fresh air and seek medical advice.

In case of skin contact

In case of contact with skin wash off with soap and water.

In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

In case of ingestion

Do not induce vomiting.

If swallowed seek medical advice immediately and show the doctor packing or label.

4.2. Most important symptoms and effects, both acute and delayed

Physician's information / possible symptoms

No information available.

Physician's information / possible dangers

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treatment (Advice to doctor)

Treat symptoms.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 02.09.2021 (GB) Version 1.1

GEAR FLUIDE V-FE

379xxx



SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam

Dry fire-extinguishing substance

Carbon dioxide

Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In fires, hazardous combustion gases are formed:

Carbon monoxide (CO)

Carbon dioxide (CO₂)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Wear full protective clothing.

Additional information

Collect contaminated firefighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ensure adequate ventilation.

For emergency responders

Use personal protective clothing.

6.2. Environmental precautions

Collect contaminated water / firefighting water separately.

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

After taking up the material dispose according to regulation.

Additional Information

Informations for disposal see chapter 13.

6.4. Reference to other sections

Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

General protective measures

Avoid explosion - before application obtain special instructions.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 02.09.2021 (GB) Version 1.1

GEAR FLUIDE V-FE

379xxx



Hygiene measures

Clean skin thoroughly after working.
At work do not eat, drink and smoke.
Remove soaked clothing immediately.

Advice on protection against fire and explosion

The product is combustible.

7.2. Conditions for safe storage, including any incompatibilities

Advice on storage compatibility

No information available.

Further information on storage conditions

Keep container tightly closed and store at cool and aired place.

Storage group 10

Fire class B

7.3. Specific end use(s)

Recommendation(s) for intended use

See section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL-/PNEC-values

DNEL worker

CAS No	Substance name	Value	Code	Remark
36878-20-3	bis(nonylphenyl)amine	0,62 mg/kg	DNEL long-term dermal (systemic)	
		4,37 mg/m ³	DNEL long-term inhalative (systemic)	

DNEL Consumer

CAS No	Substance name	Value	Code	Remark
36878-20-3	bis(nonylphenyl)amine	1,09 mg/m ³	DNEL long-term inhalative (systemic)	
		0,31 mg/kg	DNEL long-term oral (repeated)	
		0,31 mg/kg	DNEL long-term dermal (systemic)	

PNEC

CAS No	Substance name	Value	Code	Remark
36878-20-3	bis(nonylphenyl)amine	0,01 mg/l	PNEC aquatic, marine water	
		263000 mg/kg	PNEC soil	
		0,1 mg/l	PNEC aquatic, freshwater	

8.2. Exposure controls

Respiratory protection

no

Hand protection

Gloves (oil-resistant)

Eye protection

safety goggles with side protection

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 02.09.2021 (GB) Version 1.1

GEAR FLUIDE V-FE

379xxx



Other protection measures

Oil-resistant protective clothing

Limitation and surveillance of the environment

Further information: see exposure scenarios attached to this safety data sheet.

Appropriate engineering controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

liquid

Colour

red

Odour

characteristic

Odour threshold

not determined

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	not determined				
Boiling temperature / boiling range	not determined				
stock point	-48 °C				
Flash point	216 °C			ASTM D 93	
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not determined				
Self ignition temperature	not determined				
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	not determined				
Relative density	0,844 g/cm ³	15 °C		DIN 51757	
Vapour density	not determined				
Solubility in water	not determined				
Solubility/other	not determined				
Partition coefficient n-octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 02.09.2021 (GB) Version 1.1

GEAR FLUIDE V-FE

379xxx



	Value	Temperature	at	Method	Remark
Viscosity kinematic	31,23 mm ² /s	40 °C		DIN 51562	
Viscosity kinematic	6,87 mm ² /s	100 °C		DIN 51562	
Oxidising properties	No information available.				
Explosive properties	No information available.				
9.2. Other information	No information available.				

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

Reactions with oxidising agents.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Substances to avoid

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	> 5000 mg/kg	rat	OECD 420	
LD50 acute dermal	> 2000 mg/kg	rabbit	OECD 402	
LC50 acute inhalation	> 5,53 mg/l (4 h)	rat	OECD 403	
Skin irritation		not determined		
Eye irritation		not determined		
Skin sensitization		not determined		
Sensitization respiratory system		not determined		

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 02.09.2021 (GB) Version 1.1

GEAR FLUIDE V-FE

379xxx



Subacute Toxicity - Carcinogenicity

	Value	Species	Method	Validation
Subacute Toxicity	not determined			
Subchronic Toxicity	not determined			
Chronic Toxicity	not determined			
Mutagenicity	not determined			
Reproduction-Toxicity	not determined			
Carcinogenicity	not determined			

Specific target organ toxicity (single exposure)
not determined

Specific target organ toxicity (repeated exposure)
not determined

Aspiration hazard
not determined

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicological effects

	Value	Species	Method	Validation
Fish	LC50 > 100 mg/l			
Daphnia	EC50 > 10000 mg/l			
Algae	EC50 > 100 mg/l (72 h)			

12.2. Persistence and degradability

	Elimination rate	Method of analysis	Method	Validation
Physico-chemical degradability			No information available.	
Biological degradability			No information available.	

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 02.09.2021 (GB) Version 1.1

GEAR FLUIDE V-FE

379xxx



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No.

13 02 05*

Name of waste

mineral-based non-chlorinated engine, gear and lubricating oils

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for the product

Remove in accordance with local official regulations.

Recommendations for packaging

Totally emptied packaging may be taken for recycling.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazards	-	-	-

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

Land and inland navigation transport ADR/RID

No dangerous goods as defined by these transport regulations.

Marine transport IMDG

No dangerous goods as defined by these transport regulations.

Air transport ICAO/IATA-DGR

No dangerous goods as defined by these transport regulations.

Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard

VOC content =0 %

VOC value 0 g/L

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 02.09.2021 (GB) Version 1.1

GEAR FLUIDE V-FE

379xxx



National regulations

Water hazard class 2 self-classification

Decree for case of interference/ remarks Accident decree, addendum II: not named.

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 1.0

- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H350 May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.