

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 31.05.2021 (GB) Version 1.2

ZH-L ST HYDRAULIK-FLUID

564xxx



! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product ZH-L ST HYDRAULIK-FLUID
Art-Nr 564xxx

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Product categories [PC]

PC24 - Lubricants, greases, release products

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor EUROLUB GmbH
Freisingerstraße 25-27, D-85386 Eching b. München
Phone +49 8165 9591-0, Fax +49 8165 9591-210
E-Mail info@eurolub.com
Internet www.eurolub.com

1.4. Emergency telephone number

Emergency advice
Phone +49 8165 9591-0
This number is only available at office times.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard categories	Hazard Statements	Classification procedure
--------------------------------------	-------------------	--------------------------

Acute Tox. 4	H302	
Aquatic Chronic 3	H412	

Hazard statements for health hazards

H302 Harmful if swallowed.

Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS07

Signal word

Warning

Hazard statements for health hazards

H302 Harmful if swallowed.

Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 31.05.2021 (GB) Version 1.2

ZH-L ST HYDRAULIK-FLUID

564xxx



Precautionary Statements

General

- P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.

Prevention

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.

Disposal

- P501 Dispose of contents / container in accordance with local regulations.

Hazardous ingredients for labelling

1-Decen, Dimer, hydriert

Special rules for supplemental label elements for certain mixtures

Enthält Propansäure, 3-[[bis(2-methylpropoxy)phosphinothioyl]thio]-2-methyl-(9CI), Reaktionsprodukte von P-/N-S-haltigen Substanzen mit Propansäure . Kann allergische Reaktionen hervorrufen.

2.3. Other hazards

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
68649-11-6	500-228-5	1-Decen, Dimer, hydriert	5 - 10	Acute Tox. 4, H332 / Asp. Tox. 1, H304

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the event of persistent symptoms receive medical treatment.

In case of inhalation

In case of inhalation remove the casualty into fresh air and seek medical advice.

In case of skin contact

In case of contact with skin wash off with soap and water.

In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

In case of ingestion

Do not induce vomiting.

If swallowed seek medical advice immediately and show the doctor packing or label.

4.2. Most important symptoms and effects, both acute and delayed

Physician's information / possible symptoms

No information available.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 31.05.2021 (GB) Version 1.2

ZH-L ST HYDRAULIK-FLUID

564xxx



Physician's information / possible dangers

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treatment (Advice to doctor)

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam

Dry fire-extinguishing substance

Carbon dioxide

Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In fires, hazardous combustion gases are formed:

Carbon monoxide (CO)

Carbon dioxide (CO₂)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Wear full protective clothing.

Additional information

Collect contaminated firefighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ensure adequate ventilation.

For emergency responders

Use personal protective clothing.

6.2. Environmental precautions

Collect contaminated water / firefighting water separately.

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

After taking up the material dispose according to regulation.

Additional Information

Informations for disposal see chapter 13.

6.4. Reference to other sections

Personal protection equipment: see section 8

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 31.05.2021 (GB) Version 1.2

ZH-L ST HYDRAULIK-FLUID

564xxx



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

General protective measures

Avoid explosion - before application obtain special instructions.

Hygiene measures

Clean skin thoroughly after working.

At work do not eat, drink and smoke.

Remove soaked clothing immediately.

Advice on protection against fire and explosion

The product is combustible.

7.2. Conditions for safe storage, including any incompatibilities

Advice on storage compatibility

No information available.

Further information on storage conditions

Keep container tightly closed and store at cool and aired place.

Storage group 10

Fire class B

7.3. Specific end use(s)

Recommendation(s) for intended use

See section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No information available.

8.2. Exposure controls

Respiratory protection

no

Hand protection

Gloves (oil-resistant)

Eye protection

safety goggles with side protection

Other protection measures

Oil-resistant protective clothing

Limitation and surveillance of the environment

Further information: see exposure scenarios attached to this safety data sheet.

Appropriate engineering controls

No information available.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 31.05.2021 (GB) Version 1.2

ZH-L ST HYDRAULIK-FLUID

564xxx



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

liquid

Colour

brown

Odour

characteristic

Odour threshold

not determined

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	not determined				
Boiling temperature / boiling range	not determined				
stock point	-51 °C				
Flash point	216 °C			ASTM D 93	
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not determined				
Self ignition temperature	not determined				
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	not determined				
Relative density	0,830 g/cm ³	15 °C		DIN 51757	
Vapour density	not determined				
Solubility in water	not determined				
Solubility/other	not determined				
Partition coefficient n-octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity kinematic	19,9 mm ² /s	40 °C		DIN 51562	
Viscosity kinematic	6,2 mm ² /s	100 °C		DIN 51562	
Oxidising properties	No information available.				

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 31.05.2021 (GB) Version 1.2

ZH-L ST HYDRAULIK-FLUID

564xxx



Explosive properties

No information available.

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

Reactions with oxidising agents.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Substances to avoid

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	> 5000 mg/kg	rat	OECD 420	
LD50 acute dermal	> 2000 mg/kg	rabbit	OECD 402	
LC50 acute inhalation	> 5,53 mg/l (4 h)	rat	OECD 403	
Skin irritation		not determined		
Eye irritation		not determined		
Skin sensitization		not determined		
Sensitization respiratory system		not determined		

Subacute Toxicity - Carcinogenicity

	Value	Species	Method	Validation
Subacute Toxicity	not determined			
Subchronic Toxicity	not determined			

	Value	Species	Method	Validation
Chronic Toxicity	not determined			
Mutagenicity	not determined			
Reproduction-Toxicity	not determined			
Carcinogenicity	not determined			
Specific target organ toxicity (single exposure)	not determined			
Specific target organ toxicity (repeated exposure)	not determined			
Aspiration hazard	not determined			

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicological effects

	Value	Species	Method	Validation
Fish	LC50 > 100 mg/l			
Daphnia	EC50 > 10000 mg/l			
Algae	EC50 > 100 mg/l (72 h)			

12.2. Persistence and degradability

	Elimination rate	Method of analysis	Method	Validation
Physico-chemical degradability			No information available.	
Biological degradability			No information available.	

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 31.05.2021 (GB) Version 1.2

ZH-L ST HYDRAULIK-FLUID

564xxx



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No.

13 02 05*

Name of waste

mineral-based non-chlorinated engine, gear and lubricating oils

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for the product

Remove in accordance with local official regulations.

Recommendations for packaging

Totally emptied packaging may be taken for recycling.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazards	-	-	-

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

Land and inland navigation transport ADR/RID

No dangerous goods as defined by these transport regulations.

Marine transport IMDG

No dangerous goods as defined by these transport regulations.

Air transport ICAO/IATA-DGR

No dangerous goods as defined by these transport regulations.

Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard

VOC content =0 %

VOC value 0 g/L

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 31.05.2021 (GB) Version 1.2

ZH-L ST HYDRAULIK-FLUID

564xxx



National regulations

Water hazard class 2 self-classification

Decree for case of interference/ remarks Accident decree, addendum II: not named.

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 1.1

H304 May be fatal if swallowed and enters airways.

H332 Harmful if inhaled.