

**Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)**

Revision 16.12.2020 (GB) Version 1.0

ÖLFLECKENTFERNER

815xxx



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product ÖLFLECKENTFERNER
Art-Nr 815xxx

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Sector of uses [SU]

SU0 - Other

Product categories [PC]

Solvents

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor EUROLUB GmbH
Freisingerstraße 25-27, D-85386 Eching b. München
Phone +49 8165 9591-0, Fax +49 8165 9591-210
E-Mail info@eurolub.com
Internet www.eurolub.com

1.4. Emergency telephone number

Emergency advice Phone +49 8165 9591-0
This number is only available at office times.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

| Hazard classes and Hazard categories | Hazard Statements | Classification procedure |
|--------------------------------------|-------------------|--------------------------|
|--------------------------------------|-------------------|--------------------------|

| | | |
|--------------|------|--|
| Flam. Liq. 2 | H225 | |
| Eye Irrit. 2 | H319 | |
| STOT SE 3 | H336 | |

Hazard statements for physical hazards

H225 Highly flammable liquid and vapour.

Hazard statements for health hazards

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS02



GHS07

Signal word

Danger

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision 16.12.2020 (GB) Version 1.0

ÖLFLECKENTFERNER

815xxx



Hazard statements for physical hazards

H225 Highly flammable liquid and vapour.

Hazard statements for health hazards

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary Statements

General

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Response

P370 + P378 In case of fire: Use foam for extinction.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents / container in accordance with local regulations.

Supplemental Hazard information (EU)

Health properties

Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Hazardous ingredients

| CAS No | EC No | Name | [% weight] | Classification according to Regulation (EC) No 1272/2008 [CLP/GHS] |
|---------|-----------|-------------|------------|--|
| 67-63-0 | 200-661-7 | propan-2-ol | 25 - 50 | Flam. Liq. 2, H225 / Eye Irrit. 2, H319 / STOT SE 3, H336 |
| 67-64-1 | 200-662-2 | acetone | 50 - 75 | Flam. Liq. 2, H225 / Eye Irrit. 2, H319 / STOT SE 3, H336 |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the event of persistent symptoms receive medical treatment.

Take affected person into fresh air.

Do not leave casualty unattended.

Take away from danger area and lay down affected person.

In case of inhalation

Remove the casualty into fresh air and keep him immobile.

In case of inhalation remove the casualty into fresh air and seek medical advice.

**Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)**

Revision 16.12.2020 (GB) Version 1.0

ÖLFLECKENTFERNER

815xxx



In case of skin contact

In case of contact with skin wash off with soap and water.
Remove contaminated clothing immediately, even underwear and shoes.

In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

In case of ingestion

Do not induce vomiting.
If swallowed by mistake drink plenty of water and seek medical treatment.
Rinse out mouth thoroughly with water.

4.2. Most important symptoms and effects, both acute and delayed

Physician's information / possible symptoms

Eye defects
vomiting
Headache
Nausea
Dizziness

4.3. Indication of any immediate medical attention and special treatment needed

Treatment (Advice to doctor)

no

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam
Dry powder
Carbon dioxide
Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In fires, hazardous combustion gases are formed:

Carbon monoxide (CO)
Carbon dioxide (CO₂)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.
Wear full protective clothing.

Additional information

Collect contaminated firefighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ensure adequate ventilation.
Remove persons to safety.

**Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)**

Revision 16.12.2020 (GB) Version 1.0

ÖLFLECKENTFERNER

815xxx



6.2. Environmental precautions

Collect contaminated water / firefighting water separately.
Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).
After taking up the material dispose according to regulation.

Additional Information

Informations for personal protective equipment see chapter 8.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

In case of free handling thoroughly sucking off vapours is necessary.
Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.
Use explosion-protected equipment / fittings.

General protective measures

Do not inhale vapours.
Do not inhale gases/vapours/aerosols.

Hygiene measures

Cloths contaminated with product should not be kept in trouser pockets.
At work do not eat, drink and smoke.
Work in rooms with good ventilation.
Keep away from food and drink.

Advice on protection against fire and explosion

The product is combustible.
Vapours can form an explosive mixture with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in heated containers.

Further information on storage conditions

Keep container tightly closed and store at cool and aired place.
Protect from heat and direct solar radiation.
Protect from heat/overheating.

Storage group 3

Fire class B

7.3. Specific end use(s)

No information available.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 16.12.2020 (GB) Version 1.0

ÖLFLECKENTFERNER

815xxx



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Indicative occupational exposure limit values (91/322/EEC, 2000/39/EC, 2004/37/EC, 2006/15/EC or 2009/161/EU)

| CAS No | Name | Code | [mg/m ³] | [ppm] | Remark |
|---------|---------|---------|----------------------|-------|--------|
| 67-64-1 | acetone | 8 hours | 1210 | 500 | |

biological limits (TRGS 903)

| CAS No | Name | Parameter | BGW | Examination material | Test date |
|---------|-------------|-----------|---------|----------------------|-----------|
| 67-64-1 | acetone | Aceton | 80 mg/l | U | b |
| 67-63-0 | propan-2-ol | Aceton | 25 mg/l | U | b |

8.2. Exposure controls

Respiratory protection

In case of insufficient ventilation or long-term effect use breathing apparatus.

Hand protection

Gloves (solvent-resistant)

Eye protection

safety goggles with side protection

Other protection measures

Solvent-resistant protective clothing

Appropriate engineering controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

liquid

Colour

colourless, clear

Odour

like paraffine

Odour threshold

not determined

Important health, safety and environmental information

| | Value | Temperature | at | Method | Remark |
|---------------------------------------|----------------|-------------|----------|-----------|--------|
| pH value | not determined | | | | |
| boiling range | 56 - 84 °C | | 1013 hPa | | |
| Melting point / Freezing point | not determined | | | | |
| Flash point | -10 °C | | | DIN 51755 | |
| Vapourisation rate | not determined | | | | |
| Flammable (solid) | not determined | | | | |
| Flammability (gas) | not determined | | | | |
| Ignition temperature | 410 °C | | | | |

**Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)**

Revision 16.12.2020 (GB) Version 1.0

ÖLFLECKENTFERNER

815xxx



| | Value | Temperature | at | Method | Remark |
|--|---------------------------|-------------|----|--------|--------|
| Self ignition temperature | not determined | | | | |
| Lower explosion limit | not determined | | | | |
| Upper explosion limit | not determined | | | | |
| Vapour pressure | not determined | | | | |
| Relative density | 0,785 g/cm ³ | | | | |
| Vapour density | not determined | | | | |
| Solubility in water | not determined | | | | |
| Solubility/other | not determined | | | | |
| Partition coefficient n-octanol/water (log P O/W) | not determined | | | | |
| Decomposition temperature | not determined | | | | |
| Viscosity kinematic | < 20,5 | 40 °C | | | |
| Solvent content | 100 % | | | | |
| Oxidising properties | No information available. | | | | |
| Explosive properties | No information available. | | | | |
| 9.2. Other information | flammable liquid | | | | |

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

Formation of explosive gas/air mixtures.

10.4. Conditions to avoid

Thermal decomposition can lead to the escape of irritating gases and vapours.

10.5. Incompatible materials

Substances to avoid

Alkali (lye), concentrated

Acid, concentrated

Oxidising agent, strong

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 16.12.2020 (GB) Version 1.0

ÖLFLECKENTFERNER

815xxx



10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

| | Value/Validation | Species | Method | Remark |
|---|------------------|---------------------------|--------|--------|
| LD50 acute oral | > 5000 mg/kg | rat | | |
| LD50 acute dermal | > 2000 mg/kg | rat | | |
| Skin irritation | | No information available. | | |
| Eye irritation | | No information available. | | |
| Skin sensitization | | No information available. | | |
| Sensitization respiratory system | | No information available. | | |

Subacute Toxicity - Carcinogenicity

| | Value | Species | Method | Validation |
|---|---|---------|--------|--|
| Mutagenicity | No data available | | | |
| Reproduction-Toxicity | | | | Indications of toxic effects are available from reproduction studies in animals. |
| Carcinogenicity | | | | No indications of carcinogenic effects are available from long-term trials. |
| Specific target organ toxicity (single exposure) | No information available. | | | |
| Specific target organ toxicity (repeated exposure) | No information available. | | | |
| Aspiration hazard | May be fatal if swallowed and enters airways. | | | |

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicological effects

| | Value | Species | Method | Validation |
|----------------|--------------------|---------|--------|------------|
| Fish | NOEC 1 - 10 mg/l | | | |
| Daphnia | NOEC 1 - 10 mg/l | | | |
| Algae | NOEC 10 - 100 mg/l | | | |

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 16.12.2020 (GB) Version 1.0

ÖLFLECKENTFERNER

815xxx



12.2. Persistence and degradability

Elimination rate

Method of analysis

Method

Validation

Biological degradability

readily degradable

12.3. Bioaccumulative potential

Because of the n-octanol/water distribution coefficient (log K_{ow}) accumulation in organisms is possible.

12.4. Mobility in soil

not determined

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No.

07 01 04*

Name of waste

other organic solvents, washing liquids and mother liquors

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for the product

Remove in accordance with local official regulations.

General information

no

SECTION 14: Transport information

| | ADR/RID | IMDG | IATA-DGR |
|----------------------------------|---|---|---|
| 14.1. UN number | 1993 | 1993 | 1993 |
| 14.2. UN proper shipping name | FLAMMABLE LIQUID, N.O.S. (ACETON, ISOPROPANOL) | FLAMMABLE LIQUID, N.O.S. (ACETON, ISOPROPANOL) | Flammable liquid, n.o.s. (ACETON, ISOPROPANOL) |
| 14.3. Transport hazard class(es) | | 3 | 3 |
| 14.4. Packing group | II | II | II |
| 14.5. Environmental hazards | No | No | No |

14.6. Special precautions for user

no

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

Land and inland navigation transport ADR/RID

Hazard label(s) 3

Tunnel restriction code D/E

Special provisions 640D

Classification code F1

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Revision 16.12.2020 (GB) Version 1.0

ÖLFLECKENTFERNER

815xxx



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations (EU)

Regulation (EC) No 648/2004 (Detergents regulation).

VOC standard

| | |
|-------------|---------|
| VOC content | 100 % |
| VOC value | 785 g/L |

National regulations

Restriction of occupation

No information available.

Water hazard class 1 self-classification

15.2. Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

| | |
|------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |